

SECTION 1: Identification

1.1. Product Identifier

Trade Name or Designation: Potassium Permanganate, Purified

Product Number: 2-28850

Other Identifying Product Numbers: 2-28850-1, 2-28850-3, C2288500-12KG

1.2. Recommended Use and Restrictions on Use

General Laboratory Reagent

1.3. Details of the Supplier of the Safety Data Sheet

Company: Reagents Inc.

Address: 4746 Sweden Road

Charlotte, NC 28224 USA

Telephone: 800-732-8484

1.4. Emergency Telephone Number (24 hr)

CHEMTREC (USA) 800-424-9300
CHEMTREC (International) 1+ 703-527-3887

Product Number: 2-28850 Page 1 of 11



SECTION 2: Hazard(s) Identification

2.1. Classification of the Substance or Mixture (in accordance with OSHA HCS 29 CFR 1910.1200)

For the full text of the Hazard and Precautionary Statements listed below, see Section 16.

	Hazard		
Hazard Class	Category	Statement	Precautionary Statements
Acute Toxicity - Oral	Category 4	H302	P264, P270, P301+P312, P330, P501
Skin Corrosion / Irritation	Category 2	H315	P264, P280, P302+P352, P321, P332+P313, P362
Eye Damage / Irritation	Category 1	H318	P280, P305+P351+P338, P310
Germ Cell Mutagenicity	Category 2	H341	P201, P202, P280, P308+P313, P405, P501
Reproductive Toxicity	Category 2	H361	P201, P202, P280, P308+P313, P405, P501
Specific Target Organs/Systemic Toxicity Following Single	Category 1	H370	P260, P264, P270, P307+P311, P321, P405, P501
Exposure			
Specific Target Organs/Systemic Toxicity Following Repeated	Category 1	H372	P260, P264, P270, P314, P501
Exposure			
Oxidizing Solids	Category 2	H272	P210, P220, P221, P280, P370+P378, P501
Hazardous to the Aquatic Environment (Acute)	Category 1	H400	P273, P501
Hazardous to the Aquatic Environment (Chronic)	Category 1	H400	P273, P501

2.2. GHS Label Elements

Pictograms:











Signal Word: Danger

Hazard Statements:

Hazard Number	Hazard Statement
H272	May intensify fire; oxidizer.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H341	Suspected of causing genetic defects.
H361	Suspected of damaging fertility or the unborn child.
H370	Causes damage to organs.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

Product Number: 2-28850 Page 2 of 11



Precautionary Statements:

Precautionary Statements:	
Precautionary Number	Precautionary Statement
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks and open flame. No smoking.
P220	Keep away from clothing and other combustible materials.
P221	Take any precaution to avoid mixing with combustibles.
P260	Do not breathe dust, fumes or mist.
P264	Wash arms, hands and face thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P273	Avoid release to the environment.
P280	Wear protective gloves and eye protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
	Continue rinsing.
P307+P311	IF exposed: Call a POISON CENTER or physician.
P308+P313	IF exposed or concerned: Get medical attention.
P310	Immediately call a POISON CENTER or physician.
P314	Get medical attention if you feel unwell.
P321	Specific treatment (Wash areas of contact with water).
P330	Rinse mouth.
P332+P313	If skin irritation occurs: Get medical attention.
P362	Take off contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.
P405	Store locked up.
P501	Dispose of contents in accordance with local, state, federal and international regulations.

2.3. WHMIS Classification

WHMIS classification is not included based on the recommended option (Option 4) found in the Canada Gazette Part II, Vol. 149, No.3, page 458

2.4. Hazards not Otherwise Classified or Covered by GHS

Data not available.

Product Number: 2-28850 Page 3 of 11



SECTION 3: Composition / Information on Ingredients

3.1. Components of Substance or Mixture

Chemical Name	Formula	Molecular Weight	CAS Number	Weight%
Potassium Permanganate	KMnO ₄	158.03 g/mol	7722-64-7	100.00%

SECTION 4: First-Aid Measures

4.1. General First Aid Information

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Irritant, possibly corrosive to eye tissue. Symptoms include tearing, redness, pain, and impaired vision.

Inhalation: Not expected to require first aid. If necessary, remove to fresh air.

Skin Contact: IF ON SKIN: Wash with plenty of soap and water. Corrosive to skin; may cause redness, pain, severe burns, brown stains and

possible hardening of the outer skin layer.

Ingestion: IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Do not induce vomiting. Give large quantity of water.

Call a physician immediately.

4.2. Most Important Symptoms and Effects, Acute and Delayed

DANGER! Oxidizer. Keep from flammable materials. Corrosive. Causes burns. May if swallowed. Wash away be fatal areas of contact See MSDS for more information. EYE CONTACT: Irritant, inaested. call a physician. possibly corrosive to include tearing, pain, and impaired vision. SKIN CONTACT: Corrosive to skin; may redness, pain, burns, skin layer. CHRONIC EFFECTS / CARCINOGENICITY: Chronic poisoning include sluggishness, Early symptoms sleepiness, and weakness in legs. Advanced have disturbances, spastic gait, and falling. Illness closely resembles Parkinson's Disease. Kidney effects, blood changes manganese psychosis also may occur as a result of chronic exposure. Chronic inhalation exposure can cause lung damage.

4.3. Medical Attention or Special Treatment Needed

Immediately call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water).

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing Media

In case of fire: Use dry chemical, foam or carbon dioxide to extinguish. Water

5.2. Specific Hazards Arising from the Substance or Mixture

May intensify fire; oxidizer. Not combustible, but substance is a strong oxidizer and its heat of reaction with reducing agents or combustibles may cause ignition. Increases flammability of any combustible substance in contact with it. Contact with oxidizable substances may cause extremely violent combustion.

5.3. Special Protective Equipment for Firefighters

Use protective clothing and NIOSH-approved breathing equipment appropriate for the surrounding fire.

Product Number: 2-28850 Page 4 of 11



SECTION 6: Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Wear protective gloves and eye protection.

6.2. Cleanup and Containment Methods and Materials

Remove sources of heat or ignition. Provide explosion-proof ventilation. Wear appropriated personal protective equipment (see section 8). Collect solid for recovery or disposal, avoiding dust generation and using non-sparking tools. Water may be used to reduce airborne dust and prevent scattering. Pick up spill for recovery or disposal and place in a closed container. Dispose of in accordance with local regulations. CERCLA reportable quantity for this material is 100 lb.

SECTION 7: Handling and Storage

7.1. Precautions for Safe Handling and Storage Conditions

Store locked up. Keep in a tightly closed container. Store in a cool, dry, ventilated area. Protect against physical damage. Separate from incompatible materials, such as combustibles, organics, or other oxidizable materials. Containers of this material may be hazardous when empty since they retain product residues.

SECTION 8: Exposure Controls / Personal Protection

8.1. Control Parameters

Chemical Name	Limit Type	Country	Exposure Limit	Information Source
Potassium Permanganate	TLV-TWA	USA	0.02 mg/m³ TWA (as Mn, listed under	ACGIH - Threshold Limit Values - Time
(7722-64-7)			respirable fraction)	Weighted Averages (TLV-TWA)
			0.1 mg/m³ TWA (as Mn)	
Potassium Permanganate	PEL-Ceiling	USA	5 mg/m³ Ceiling (as Mn)	U.S OSHA - Final PELs - Ceiling Limits
(7722-64-7)				

8.2. Exposure Controls

Engineering Controls: A system of local and/or general exhaust is recommended to keep employee exposures below the Airborne

Exposure Limit

Respiratory Protection: A system of local or general exhaust is recommended to keep exposure levels below the Airborne Exposure Limits. If

necessary, wear a dust mask respirator to minimize exposure to dust particles.

Skin Protection: Wear protective gloves and eye protection. Chemical resistant gloves.

Eye Protection: Wear protective gloves and eye protection. Safety glasses or goggles.

8.3. Personal Protective Equipment

Wear protective gloves and eye protection. A system of local or general exhaust is recommended to keep exposure levels below the Airborne Exposure Limits. If necessary, wear a dust mask respirator to minimize exposure to dust particles. Chemical resistant gloves. Safety glasses or goggles.

Product Number: 2-28850 Page 5 of 11



SECTION 9: Physical and Chemical Properties

9.1. Basic Physical and Chemical Properties

Appearance: Purple-black solid

Physical State: Solid

Odor: Odorless

Odor Threshold: Data not available.

pH: Data not available.

Melting/Freezing Point: >240°C (decomposition)

Initial Boiling Point /Range: Data not available.

Flash Point: Data not available.

Evaporation Rate: Data not available.

Flammability: Data not available.

Flammability/Explosive Limits: Data not available.

Vapor Pressure: Data not available.

Vapor Density: Data not available.

Relative Density: 2.7

Solubility: 64 G/L at 20°C

Partition Coefficient (n-Octanol/Water): Data not available.

Auto-Ignition Temperature: Data not available.

Decomposition Temperature: $> 240^{\circ}\text{C}$

Viscosity: Data not available.

ExplosiveProperties: Data not available.

Oxidizing Properties: Data not available.

SECTION 10: Stability and Reactivity

10.1. Reactivity and Chemical Stability

Stable under normal conditions of use and storage.

10.2. Possibility of Hazardous Reactions

Data not available.

10.3. Conditions to Avoid and Incompatible Materials

Keep away from heat, sparks and open flame. No smoking. Keep away from clothing and other combustible materials. Take any precaution to avoid

10.4. Hazardous Decomposition Products

Will not occur.

Product Number: 2-28850 Page 6 of 11



SECTION 11: Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity - Oral Exposure:

Harmful if swallowed. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. Rinse mouth. Dispose of contents in accordance with local, state, federal and international regulations.

Acute Toxicity - Dermal Exposure:

Not applicable.

Acute Toxicity - Inhalation Exposure:

Not applicable.

Acute Toxicity - Other Information:

LD50, Oral, Rat: 1090 mg/kg (Potassium Permanganate), details of toxic effects not reported other than lethal dose value.

Skin Corrosion and Irritation:

Causes skin irritation. Wash arms, hands and face thoroughly after handling. Wear protective gloves and eye protection. IF ON SKIN: Wash with plenty of soap and water. Specific treatment (Wash areas of contact with water). If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.

Serious Eye Damage and Irritation:

Causes serious eye damage. Wear protective gloves and eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.

Respiratory Sensitization:

Not applicable.

Skin Sensitization:

Not applicable.

Germ Cell Mutagenicity:

Suspected of causing genetic defects. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Carcinogenicity:

Not applicable.

Reproductive Toxicity:

Suspected of damaging fertility or the unborn child. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye protection. IF exposed or concerned: Get medical attention. Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Specific Target Organ Toxicity from Single Exposure:

Causes damage to organs. Do not breathe dust, fumes or mist. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. IF exposed: Call a POISON CENTER or physician. Specific treatment (Wash areas of contact with water). Store locked up. Dispose of contents in accordance with local, state, federal and international regulations.

Product Number: 2-28850 Page 7 of 11



Specific Target Organ Toxicity from Repeated Exposure:

Causes damage to organs through prolonged or repeated exposure. Do not breathe dust, fumes or mist. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Get medical attention if you feel unwell. Dispose of contents in accordance with local, state, federal and international regulations.

Aspiration Hazard:

Not applicable.

Additional Toxicology Information:

Data not available.

SECTION 12: Ecological Information

12.1. Ecotoxicity

Very toxic to aquatic life. Avoid release the environment. Dispose with federal international to contents in accordance local, state. and regulations. Very toxic to aquatic life. Avoid release the environment. Dispose contents in accordance with local, state, federal and international regulations.

12.2. Persistence and Degradability

Data not available.

12.3. Bioaccumulative Potential

Data not available.

12.4. Mobility in Soil

Data not available.

12.5. Other Adverse Ecological Effects

Data not available.

SECTION 13: Disposal Considerations

13.1. Waste Treatment Methods

Data not available.

Product Number: 2-28850 Page 8 of 11



SECTION 14: Transportation Information

14.1. Transportation by Land - Department of Transportation (DOT, United States of America)

UN Number: UN1490

Proper Shipping Name: Potassium Permanganate

Hazard Class: 5.1

Packing Group:

Hazard Placard Labels:



14.2. Transportation by Air - International Air Transport Association (IATA)

UN Number: UN1490

Proper Shipping Name: Potassium Permanganate

Hazard Class: 5.1

Packing Group:

Hazard Placard Labels:



SECTION 15: Regulatory Information

15.1. Occupational Safety and Health Administration (OSHA) Hazards

Not listed.

15.2. Superfund Amendments and Reauthorization Act (SARA) 302 Extremely Hazardous Substances

Not listed.

15.3. Superfund Amendments and Reauthorization Act (SARA) 311/312 Hazardous Chemicals

Potassium Permanganate (CAS # 7722-64-7): 100 lb final RQ; 45.4 kg final RQ

15.4. Superfund Amendments and Reauthorization Act (SARA) 313 Toxic Release Inventory (TRI)

Potassium Permanganate (CAS # 7722-64-7): 1.0 % de minimis concentration (listed under Chemical Category N450)

15.5. Massachusetts Right-to-Know Substance List

Potassium Permanganate (CAS # 7722-64-7): Present

Product Number: 2-28850 Page 9 of 11



15.6. Pennsylvania Right-to-Know Hazardous Substances

Potassium Permanganate (CAS # 7722-64-7): Environmental hazard Potassium Permanganate (CAS # 7722-64-7): Present

15.7. New Jersey Worker and Community Right-to-Know Components

Potassium Permanganate (CAS # 7722-64-7): sn 1578

Potassium Permanganate (CAS # 7722-64-7): sn 2324

Potassium Permanganate (CAS # 7722-64-7): SN 2324 TPQ: 500 lb (Category Code N450. Includes any unique chemical substance that contains the named metal as part of that chemical structure)

15.8. California Proposition 65

Not listed.

15.9. Canada Domestic Substances List / Non-Domestic Substances List (DSL/NDSL)

Potassium Permanganate (CAS # 7722-64-7): Present

15.10. United States of America Toxic Substances Control Act (TSCA) List

Potassium Permanganate (CAS # 7722-64-7): Present

15.11. European Inventory of Existing Commercial Chemical Substances (EINECS),

European List of Notified Chemical Substances (ELINCS), and No Longer Polymers (NLP)

Not listed.

SECTION 16: Other Information

16.1. Full Text of Hazard Statements and Precautionary Statements

May intensify fire; oxidizer. Harmful if swallowed. Causes skin irritation. Causes serious eye damage. Suspected of causing genetic defects. Suspected of damaging fertility or the unborn child. Causes damage to organs. Causes damage to organs through prolonged or repeated exposure. Very toxic to aquatic life.

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, sparks and open flame. No smoking. Keep away from clothing and other combustible materials. Take any precaution to avoid mixing with combustibles. Do not breathe dust, fumes or mist. Wash arms, hands and face thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves and eye protection.

IF SWALLOWED: Call a POISON CENTER or physician if you feel unwell. IF ON SKIN: Wash with plenty of soap and water. cautiously with minutes. Remove contact lenses. if present and to do. Continue rinsing. IF exposed: Call POISON water easv а physician. Get medical attention if you feel unwell. Specific treatment (Wash areas of contact with water). Rinse mouth. If skin irritation occurs: Get medical attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use dry chemical, foam or carbon dioxide to extinguish.

Store locked up.

Dispose of contents in accordance with local, state, federal and international regulations.

Product Number: 2-28850 Page 10 of 11



16.2. Miscellaneous Hazard Classes

Canadian Carcinogenicity Hazard Class: Not Applicable.

Physical Hazards Not Otherwise Classified (PHNOC): Not Applicable.

Health Hazards Not Otherwise Classified (HHNOC): Not Applicable.

Biohazardous Infectious Materials Hazard Class: Not Applicable.


16.3. National Fire Protection Association (NFPA) Rating

Health: 1

Flammability: 0

Reactivity: 0

Special Hazard:



16.4. Document Revision

Last Revision Date: 8/31/2015

DISCLAIMER

When handled properly by qualified personnel, the product described herein does not present a significant health or safety hazard. Alteration of its characteristics concentration, evaporation, addition of other substances, or other means may hazards specifically addressed herein and which must evaluated present not the user. The information furnished herein is believed to be accurate and represents the best data currently available to us. No warranty, expressed or implied, is made and REAGENTS, INC. assumes no legal responsibility or liability whatsoever resulting from its use.

Product Number: 2-28850 Page **11** of **11**