# The Cleaning Resource

# SAFETY DATA SHEET

# 1. Identification

**Product identifier** I.D. 200

Other means of identification

SDS number 533N-10A Product code HIL00483

Recommended use Multipurpose Degreaser

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer Manufacturer

Company name HILLYARD INDUSTRIES **Address** 302 North Fourth St.

St. Joseph, MO 64501

**Contact person** Regulatory Affairs

(816) 233-1321 (Ext. 8285) Telephone number

(816) 383-8485 Fax

regulatoryaffairs@hillyard.com E-mail

(800) 424-9300 **Emergency telephone #** 

(Only in the event of chemical emergency involving a spill, leak, fire, exposure,

or accident involving chemicals.)

# 2. Hazard(s) identification

Not classified. Physical hazards

**Health hazards** Skin corrosion/irritation Category 2

> Serious eye damage/eye irritation Category 1

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

Label elements



Signal word Danger

**Hazard statement** Causes skin irritation. Causes serious eye damage.

**Precautionary statement** 

Wash thoroughly after handling. Wear protective gloves. Wear eye/face protection. Prevention

If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Response

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation occurs: Get medical advice/attention. Take off contaminated

clothing and wash before reuse.

Store away from incompatible materials. Storage

Buyer assumes all risk and liability associated with disposal of this product (original concentration Disposal

or dilution) in violation of applicable law in compliance with applicable federal, state and local

requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Do not get in eyes, on skin, or on clothing. Use With Adequate Ventilation. Avoid breathing vapors

or spray mist. Open windows and doors, use exhaust fans or other means to insure fresh air entry

during application and drying. Do not take internally.

Material name: I.D. 200 SDS US 1/6

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Silicic acid, Sodium Salt		6834-92-0	3 - < 5
Sodium Carbonate, Anhydrous		497-19-8	3 - < 5
Other components below reportable le	vels		90 - 100

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

# 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get Skin contact

medical advice/attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention immediately.

If swallowed, seek medical advice immediately and show this container or label. Ingestion

Most important

symptoms/effects, acute and

delayed

vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

**General information** 

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

During fire, gases hazardous to health may be formed.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

Special protective equipment

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted. General fire hazards

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

# **Environmental precautions** 7. Handling and storage

Precautions for safe handling

Do not get this material in contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective

equipment. Observe good industrial hygiene practices.

Material name: I.D. 200 SDS US HIL00483 Version #: 01 Issue date: 01-29-2015

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Store away from incompatible materials (see Section 10

of the SDS).

# 8. Exposure controls/personal protection

Occupational exposure limits

No exposure limits noted for ingredient(s).

**Biological limit values** 

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye

wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

**Eve/face protection** Do not get in every content of the content o

Do not get in eyes. Chemical safety goggles when working with concentrate.

Skin protection

**Hand protection** For prolonged or repeated skin contact use suitable protective gloves.

Other Impervious boots and aprons where splashing of concentrate is a problem; otherwise, use

uniforms or coveralls.

Respiratory protection Not normally required with adequate ventilation. If ventilation is insufficient, suitable respiratory

protection must be provided.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

# 9. Physical and chemical properties

Appearance Clear, green liquid

Physical state Liquid.
Form Liquid.
Color Green
Odor Citrus odor
Odor threshold Not available
pH 12.5 - 13.5

Melting point/freezing point Not applicable / Not available

Initial boiling point and boiling

range

215 °F (101.67 °C)

Flash point > 215.0 °F (> 101.7 °C) Tag Closed Cup

**Evaporation rate** < 1 (ethyl ether = 1)

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 17.6 mm Hg

Vapor density 0.6 AIR=1

Relative density 1.087 at 77°F

Solubility(ies)

Solubility (water) 100 % Complete

Partition coefficient Not available

(n-octanol/water)

Auto-ignition temperature

Not available

Not available

Viscosity

Not available

Other information

Density 9.05 lb/gal
Percent volatile 87 - 88 %

Material name: I.D. 200

VOC (Weight %) 0 %

# 10. Stability and reactivity

**Reactivity** Reacts violently with strong acids. This product may react with oxidizing agents.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

**Conditions to avoid**Do not mix with other chemicals. Contact with incompatible materials.

**Incompatible materials** Acids. Oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

# 11. Toxicological information

# Information on likely routes of exposure

**Inhalation** Prolonged inhalation may be harmful.

**Skin contact** Causes skin irritation.

**Eye contact** Causes serious eye damage.

**Ingestion** Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause

Tast Dasults

redness and pain.

C---!--

# Information on toxicological effects

# Acute toxicity

Droduct

Product	Species	lest Results	
I.D. 200			
Acute			
Inhalation			
LC50	Guinea pig	ig 20 mg/l, 2 Hours estimated	
	Mouse	10350 mg/l, 4 Hours estimated	
		30 mg/l, 2 Hours estimated	
	Rat	20500 mg/l, 0.5 Hours estimated	
		12000 mg/l, 4 Hours estimated	
		57.5 mg/l, 2 Hours estimated	
Oral			
LD50	Mouse	62310.875 mg/kg estimated	
	Rat	26416.5605 mg/kg estimated	

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Causes skin irritation.

Serious eye damage/eye

Causes serious eye damage.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

# US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - Not classified.

single exposure

Material name: I.D. 200

HIL00483 Version #: 01 Issue date: 01-29-2015

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

**Chronic effects** 

Prolonged inhalation may be harmful.

Prolonged inhalation may be harmful.

# 12. Ecological information

**Ecotoxicity** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results
I.D. 200			
Aquatic			
Crustacea	EC50	Daphnia	3870.5664 mg/l, 48 hours estimated
Acute			
Fish	LC50	Fish	3030 mg/l, 96 hours estimated

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Persistence and degradability

No data is available on the degradability of this product.

**Bioaccumulative potential** 

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

# 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not

contaminate ponds, waterways or ditches with chemical or used container. Buyer assumes all risk and liability associated with disposal of this product (original concentration or dilution) in violation

of applicable law.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Waste from normal product use may

be sewered to a public owned treatment works (POTW) in compliance with applicable Federal,

State, and local pretreatment requirements.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Triple rinse (or equivalent). Then offer clean, dry container for recycling or reconditioning.

# 14. Transport information

# DOT

Not regulated as dangerous goods.

#### **IATA**

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

# 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

# TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

# SARA 304 Emergency release notification

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Material name: I.D. 200

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

No

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

# SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US state regulations**

# US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

# US. Massachusetts RTK - Substance List

Not regulated.

# **US. New Jersey Worker and Community Right-to-Know Act**

Not listed.

# US. Pennsylvania Worker and Community Right-to-Know Law

Not listed.

# **US. Rhode Island RTK**

Not regulated.

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or region Inventory name

On inventory (yes/no)\*

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

**Issue date** 01-29-2015

Version # 01

HMIS® ratings Health: 3

Flammability: 0
Physical hazard: 0

**Disclaimer** No representations or warranties, either express or implied, of merchantability, fitness for a

particular purpose, or of any nature are made with respect to the product(s) or information contained in this material safety data sheet. The information and recommendations contained in this Material Safety Data Sheet are supplied pursuant to 29 CFR 1910.1200 of the Occupational Safety and Health Standards Hazard Communication Rule. All information contained herein is presented in good faith and is believed to be appropriate and accurate. The buyer or user assumes all risks associated with the use, misuse or disposal of this product. The buyer or user is responsible to comply with all federal, state or local regulations concerning the use, misuse or

disposal of these products.

Material name: I.D. 200 sps us

HIL00483 Version #: 01 Issue date: 01-29-2015