

# MG DermaSan 72

72% Alcohol Hand Sanitizer, Category E3

MG DermaSan 72 is an E3- rated, no-rinse hand sanitizer. Active ingredient 72% Isopropyl Alcohol kills at least 99.99% of pathogens and contains emollients to moisturize and soothe the skin. Specifically formulated to be fragrance-free, dye-free and acceptable for use in sensitive environments like: Hospitals, Food Processors, and other Food Service Establishments.

MG DermaSan 72 contains at least 72% of Isopropyl Alcohol and meets Center of Disease Control guidelines for hand hygiene in healthcare settings.

- 72% Isopropyl Alcohol Formula
- Quick Drying
- Kills 99.99% Germs
- Contains Emollients to Soothe the Skin

**Usage Directions:** Apply to clean hands, or wash hands before use. Apply enough MG DermaSan 72 to cover all areas of hands, nails and cuticles. Rub hands together briskly for at least 30 seconds, or until dry. Reapply as needed to maintain sanitized hands.

Flammable. Store below 100 degrees Fahrenheit.

## Safety & Hazards



It is Typically Not Necessary to Wear PPE While Using MG DermaSan 72

Consult SDS for Further Safety Precautions

DOT Shipping Name: UN1219, Isopropanol Solution, Flammable Liquid 3, PG II

## MG DermaSan 72

Dilution Guidelines

Usage	Dilution
Hand Sanitizing	Ready to Use

## Technical Information:

Appearance: Clear Thin Liquid  
Odor: Alcohol  
pH: 6.0 - 8.0  
Foam: Non-Foaming

Warning: Keep Away From Flame, Heat, Spark Or Any Other Source Of Ignition.

Products Manufactured By:

**Morgan • Gallacher, Inc.**  
SUPERIOR CLEANING PRODUCTS

8707 Millergrove Drive - Santa Fe Springs, CA 90670  
(562) 695-1232 - FAX: (562) 699-8953



## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Code:** MORGAN-409-BULK  
**Product Name:** MG DermaSan 72  
**Company Name:** Morgan-Gallacher, Inc.  
8707 Millergrove Drive  
Santa Fe Springs, CA 90670  
**Phone Number:** +1 (562)695-1232  
**Emergency Contact:** CHEMTREC +1 (800)424-9300  
**Intended Use:** Not intended for consumer use. For sale to, use and storage by service professionals only.  
**Recommended Use:** Cleaning Solvent.

## 2. HAZARDS IDENTIFICATION

**Flammable Liquids, Category 3**

**Serious Eye Damage/Eye Irritation, Category 2A**



**GHS Signal Word:**

**Warning**

**GHS Hazard Phrases:**

Flammable liquid and vapor.  
Causes serious eye irritation.

**GHS Precautionary Phrases:**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
Keep container tightly closed.  
Keep out of reach of children.  
Read label before use.  
Ground/bond container and receiving equipment.  
Use explosion-proof electrical/ventilating/lighting/.../ equipment.  
Use only non-sparking tools.  
Take precautionary measures against static discharge.  
Avoid breathing dust/fume/gas/mist/vapors/spray.

**GHS Response Phrases:**

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
Get immediate medical advice/attention.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for 15 minutes.  
Get immediate medical advice/attention.  
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get immediate medical advice/attention.

**GHS Storage and Disposal Phrases:**

Store in cool/well-ventilated place.  
Dispose of contents/container to ...

**OSHA Regulatory Status:**

This material is classified as hazardous under OSHA regulations.

**Inhalation:**

May cause respiratory tract irritation.

**Eye Contact:**

May cause eye irritation. May cause burning of eyes and flow of tears.

**Ingestion:**

Causes gastrointestinal irritation with nausea, vomiting and diarrhea. May cause central nervous system depression, characterized by excitement, followed by headache, dizziness, drowsiness, and nausea.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
67-63-0	Isopropyl Alcohol	70.0 -80.0 %

### 4. FIRST AID MEASURES

**Emergency and First Aid Procedures:**

- In Case of Inhalation:** Remove from exposure and move to fresh air immediately. If not breathing, give artificial respiration. Do NOT use mouth-to-mouth resuscitation. Get medical aid immediately.
- In Case of Eye Contact:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical aid immediately.
- In Case of Ingestion:** Potential for aspiration if swallowed. Never give anything by mouth to an unconscious person. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs naturally, have victim lean forward. Get medical aid immediately.
- Note to Physician:** Show this safety data sheet to the doctor in attendance. Treat symptomatically and supportively.

### 5. FIRE FIGHTING MEASURES

- Flash Pt:** < 100.00 F
- Explosive Limits:** LEL: No data. UEL: No data.
- Autoignition Pt:** NA
- Suitable Extinguishing Media:** For large fires, use dry chemical, carbon dioxide, alcohol-resistant foam, or water spray. For small fires, use carbon dioxide, dry chemical, dry sand, or alcohol-resistant foam.
- Unsuitable Extinguishing Media:** Do NOT use straight streams of water.
- Fire Fighting Instructions:** As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Vapors may form explosive mixtures with air. Flammable liquid and vapor. Cool containers with flooding quantities of water until well after fire is out. Vapors are heavier than air and may travel to a source of ignition and flash back.
- Flammable Properties and Hazards:** EXTREMELY FLAMMABLE. High temperatures and fires may produce toxic:carbon and nitrogen oxides Carbon monoxide, Vapors can travel to a source of ignition and flash back. Container explosion may occur under fire conditions.
- Hazardous Combustion Products:** No data available.

### 6. ACCIDENTAL RELEASE MEASURES

- Protective Precautions, Protective Equipment and Emergency Procedures:** Use proper personal protective equipment as indicated in Section 8.
- Environmental Precautions:** Do not let product enter drains, sewers, watersheds or water systems.
- Steps To Be Taken In Case Material Is Released Or Spilled:** Spills/Leaks: Provide ventilation. Remove all sources of ignition. A vapor suppressing foam may be used to reduce vapors. Use water spray to dilute spill to a non-flammable mixture. Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Use a spark-proof tool.

## 7. HANDLING AND STORAGE

<b>Precautions To Be Taken in Handling:</b>	Avoid contact with eyes. Avoid breathing dust, mist, or vapor. Use only with adequate ventilation. Ground and bond containers when transferring material. Use spark-proof tools and explosion proof equipment. Take precautionary measures against static discharges. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Do not allow to evaporate to near dryness.
<b>Precautions To Be Taken in Storing:</b>	Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from heat, sparks and flame. Keep from contact with oxidizing materials. Do not store in direct sunlight. Store in a tightly closed container. Flammables-area. Protect containers against damage. Keep container closed when not in use.
<b>Other Precautions:</b>	Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Handle in accordance with good industrial hygiene and safety practice. Keep out of reach of children.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
67-63-0	Isopropyl Alcohol	PEL: 400 ppm	TLV: 200 ppm STEL: 400 ppm	No data.

<b>Respiratory Equipment (Specify Type):</b>	Avoid breathing vapors or mists. If airborne concentrations pose a health hazard or become irritating, use a NIOSH/MSHA-approved respirator, in the positive pressure mode.
<b>Eye Protection:</b>	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
<b>Protective Gloves:</b>	No data available.
<b>Other Protective Clothing:</b>	No data available.
<b>Engineering Controls (Ventilation etc.):</b>	Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
<b>Work/Hygienic/Maintenance Practices:</b>	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Physical States:</b>	<input type="checkbox"/> Gas <input checked="" type="checkbox"/> Liquid <input type="checkbox"/> Solid		
<b>Appearance and Odor:</b>	Clear Colorless, Liquid.		
<b>pH:</b>	6.0 - 8.0		
<b>Melting Point:</b>	NA		
<b>Boiling Point:</b>	> 212.00 F		
<b>Flash Pt:</b>	< 100.00 F		
<b>Evaporation Rate:</b>	NA		
<b>Flammability (solid, gas):</b>	No data available.		
<b>Explosive Limits:</b>	LEL: No data.	UEL: No data.	
<b>Vapor Pressure (vs. Air or mm Hg):</b>	NA		
<b>Vapor Density (vs. Air = 1):</b>	NA		

**Specific Gravity (Water = 1):** 0.850 - 0.860  
**Density:** NA  
**Solubility in Water:** NA  
**Saturated Vapor Concentration:** NA  
**Octanol/Water Partition Coefficient:** No data.  
**Percent Volatile:** 100.0 % by weight.  
**Autoignition Pt:** NA  
**Decomposition Temperature:** No data.  
**Viscosity:** NA

## 10. STABILITY AND REACTIVITY

**Stability:** Unstable [ ] Stable [ X ]  
**Conditions To Avoid - Instability:** Ignition sources, Excess heat, flames and sparks.  
**Incompatibility - Materials To Avoid:** Strong oxidizing agents, Strong acids, Amines, chlorine, aldehydes.  
**Hazardous Decomposition or Byproducts:** High temperatures and fires may produce toxic: carbon and nitrogen oxides Carbon monoxide, Carbon dioxide.  
**Possibility of Hazardous Reactions:** Will occur [ ] Will not occur [ X ]  
**Conditions To Avoid - Hazardous Reactions:** No data available.

## 11. TOXICOLOGICAL INFORMATION

**Toxicological Information:** Epidemiology: No information available.  
 Teratogenicity: No information available.  
 Reproductive Effects: No data available.  
 Mutagenicity: No information available.  
 Neurotoxicity: No data available.

CAS# 67-63-0: Isopropyl Alcohol: Acute toxicity, LD50, Oral, Rat, 5045. MG/KG.  
 Acute toxicity, LC50, Inhalation, Rat, 16000. PPM, 8 H.  
 Acute toxicity, LD50, Oral, Species: Rabbit, 6410. MG/KG.  
 Acute toxicity, LD50, Skin, Species: Rabbit, 12800. MG/KG.

**Carcinogenicity:** NTP? No IARC Monographs? No OSHA Regulated? No

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
67-63-0	Isopropyl Alcohol	n.a.	3	A4	n.a.

## 12. ECOLOGICAL INFORMATION

**General Ecological Information:** CAS# 67-63-0: Isopropyl Alcohol: LC50, Fathead Minnow (*Pimephales promelas*), 10600000. UG/L, 24 H, Mortality.  
 Effective concentration to 50% of test organisms., Water Flea (*Daphnia magna*), 159000. UMOL/L, 24 H, Intoxication.,  
 LC50, Western Mosquitofish (*Gambusia affinis*), 1400000. UG/L, 72 H, Mortality.  
 LC50, Goldfish (*Carassius auratus*), 5000000. UG/L, 24 H, Mortality.  
 Effective concentration to 50% of test organisms., Green Algae Order (*Chlorococcales*), 1000. MG/L, 24 H, Physiology.



### 13. DISPOSAL CONSIDERATIONS

**Waste Disposal Method:** Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. Observe all Federal, State, and local regulations.  
RCRA P-Series: None listed.  
RCRA U-Series: None listed.

### 14. TRANSPORT INFORMATION

**LAND TRANSPORT (US DOT):**

**DOT Proper Shipping Name:** Isopropanol Solution.  
**DOT Hazard Class:** 3 FLAMMABLE LIQUID  
**UN/NA Number:** UN1219 **Packing Group:** II



### 15. REGULATORY INFORMATION

**EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists**

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
67-63-0	Isopropyl Alcohol	No	No	Yes

**This material meets the EPA 'Hazard Categories' defined for SARA Title III Sections 311/312 as indicated:**

- |                                                                                                                       |                                                                                                                                  |
|-----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Explosive                                         | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Acute toxicity (any route of exposure)                       |
| <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Flammable (gases, aerosols, liquid, or solid)     | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Skin Corrosion or Irritation                                 |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Oxidizer (liquid, solid or gas)                   | <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Serious eye damage or eye irritation                         |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Self-reactive                                     | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Respiratory or Skin Sensitization                            |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Pyrophoric (liquid or solid)                      | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Germ cell mutagenicity                                       |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Pyrophoric gas                                    | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Carcinogenicity                                              |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Self-heating                                      | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Reproductive toxicity                                        |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Organic peroxide                                  | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Specific target organ toxicity (single or repeated exposure) |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Corrosive to metal                                | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Aspiration Hazard                                            |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Gas under pressure (compressed gas)               | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Simple Asphyxiant                                            |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No In contact with water emits flammable gas         | <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (Health) Hazard Not Otherwise Classified (HNOC)              |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Combustible Dust                                  |                                                                                                                                  |
| <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No (Physical) Hazard Not Otherwise Classified (HNOC) |                                                                                                                                  |

CAS #	Hazardous Components (Chemical Name)
67-63-0	Isopropyl Alcohol

**Other US EPA or State Lists**

CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: TAC: Cat. IIb, Title 8; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: Yes - 1076; NY Part 597: No; PA HSL: Yes - E

## 16. OTHER INFORMATION

**Revision Date:** 03/16/2020

**Additional Information About This Product:** No data available.

**This Product:**

**Company Policy or Disclaimer:** While Morgan-Gallacher believes the statements set forth herein are accurate as of the date hereof, Morgan-Gallacher makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon. Such data is offered solely for your consideration, investigation, and verification.