

Material Safety Data Sheet



OASIS 137

Section 1. Chemical product and company identification

Trade name : OASIS 137
Product use : Cleaning product
Supplier : Ecolab Inc. International Division
370 N. Wabasha Street
St. Paul, MN 55102
Code : 912782
Date of issue : 03-August-2005

EMERGENCY HEALTH INFORMATION: 1-800-328-0026
Outside United States and Canada CALL 1-651-222-5352 (in USA)

Section 2. Composition, information on ingredients

<u>Name</u>	<u>CAS number</u>	<u>% by weight</u>
2-propanol, 1-propoxy-	1569-01-3	5 - 20
1-propanaminium, 3-amino-n-(carboxymethyl)-n,n-dimethyl-, n-coco acyl derivs., inner salts	61789-40-0	1 - 5
poly(oxy-1,2-ethanediyl), .alpha.-sulfo-.omega.-hydroxy-, c10-16-alkyl ethers, sodium salts	68585-34-2	1 - 5
xylenesulfonic acid, sodium salt	1300-72-7	1 - 5

Section 3. Hazards identification

Physical state : Liquid. (Liquid.)
Emergency overview : CAUTION!

FLAMMABLE LIQUID AND VAPOR.
VAPOR MAY CAUSE FLASH FIRE.
MAY CAUSE EYE AND SKIN IRRITATION.
Avoid contact with skin and clothing. Keep away from heat, sparks and flame. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling.

Potential acute health effects

Eyes : Moderately irritating to eyes.
Skin : Moderately irritating to the skin.
Inhalation : Slightly irritating to the respiratory system.
Ingestion : No known significant effects or critical hazards.
See toxicological information (section 11)

Section 4. First aid measures

Eye contact : In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention if irritation persists.
Skin contact : Wash with soap and water. Get medical attention if irritation occurs. Wash clothing before reuse.
Inhalation : If inhaled, remove to fresh air.
Ingestion : Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If potentially dangerous quantities of this material have been swallowed, call a physician immediately.

Section 5. Fire fighting measures

Flash point : 51.6667 °C (Closed cup)
Fire-fighting media and instructions : In case of fire, use water spray (fog), foam, dry chemical or CO₂.

Dike area of fire to prevent runoff.

Flammable liquid and vapor. Vapor may cause flash fire. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back. Runoff to sewer may create fire or explosion hazard.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions : Immediately contact emergency personnel. Eliminate all ignition sources. Keep unnecessary personnel away. Use suitable protective equipment (section 8). Do not touch or walk through spilled material.

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Methods for cleaning up : If emergency personnel are unavailable, contain spilled material. For small spills, add absorbent (soil may be used in the absence of other suitable materials) and use a non-sparking or explosion-proof means to transfer material to a sealable, appropriate container for disposal. For large spills dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal.--

Section 7. Handling and storage

Handling : Avoid contact with eyes, skin and clothing. Do not add water directly to product. Slowly stir product into water. Wash thoroughly after handling.

Storage : Keep out of the reach of children. Store in a segregated and approved area. Keep container in a cool, well-ventilated area. Keep container tightly closed and sealed until ready for use. Avoid all possible sources of ignition (spark or flame).
Do not store above 35°C

Section 8. Exposure controls, personal protection

Engineering controls : Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapors below their respective occupational exposure limits.

Personal protection

Eyes : Eye protection recommended.

Hands : For prolonged or repeated handling, use Impervious gloves.

Skin : No protective equipment is needed under normal use conditions.

Respiratory : No protective equipment is needed under normal use conditions.

Consult local authorities for acceptable exposure limits.

Section 9. Physical and chemical properties

Physical state : Liquid. (Liquid.)

Color : Yellow.

Odor : citrus

pH : 7.75 (100%)

Specific gravity : 1.01 (Water = 1)

Section 10. Stability and reactivity

Stability : The product is stable.

Section 11. Toxicological information

Potential acute health effects

Eyes : Moderately irritating to eyes.
 Skin : Moderately irritating to the skin.
 Inhalation : Slightly irritating to the respiratory system.
 Ingestion : No known significant effects or critical hazards.

Potential chronic health effects

Section 12. Ecological information

Products of degradation : These products are carbon oxides (CO, CO₂) and water, sulfur oxides (SO₂, SO₃ etc.). Some metallic oxides.

Section 13. Disposal considerations

Waste disposal : The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Waste : Unused product is D001 (Ignitable)

classification

Consult your local or regional authorities.

Section 14. Transport information

Regulatory information	UN number	Proper shipping name	Class	Packing group	Additional information
DOT Classification	UN1993	Flammable liquids, n.o.s. (2-propanol, 1-propoxy-)	3	III	Not available.

APPLIES ONLY DURING ROAD TRANSPORT

Any variation of the shipping description based on the packaging is not addressed.

Section 15. Regulatory information

HCS Classification : Combustible liquid
 Irritating material
 U.S. Federal regulations : SARA 302/304/311/312 extremely hazardous substances: None.
 SARA 302/304 emergency planning and notification: None.
 TSCA 8(b) inventory : All materials are listed or exempt.
 California Prop. 65 : No products were found.

Section 16. Other information

Hazardous Material Information System (U.S.A.) :	Health	1
	Fire hazard	2
	Reactivity	0
	Personal protection	A

Date of issue : 03-August-2005.
 Responsible name : Regulatory Affairs
 Date of previous issue : No previous validation.
Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.