

Page: 1 of

Infosafe No™ 2CM47 Issue Date : November 2012 ISSUED by COLORMAK

Product Name **PERMASET AQUA STANDARD & GLOW COLOURS** 

Not classified as hazardous

## 1. Identification

**GHS Product** 

PERMASET AQUA STANDARD & GLOW COLOURS

Identifier

F610-XXXX **Product Code** 

Colormaker Industries Company Name

Address 44 Orchard Road Brookvale NSW 2100 Australia Tel: (02) 9939-7977

Telephone/Fax Number

Fax: (02) 9939-6685 Textile printing.

Recommended use of the chemical and restrictions on use Other Information

The information contained herein is based on data considered accurate at the time of issue. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Colormaker Industries assumes no responsibility for personal injury or

property damage to vendees, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material. MSDS are updated frequently. Please ensure that you are using the

latest copy.

#### 2. Hazard Identification

GHS classification of

Non-Hazardous Substance - Non-Dangerous Goods.

the

Hazard classification according to the criteria of Safe Work Australia. Dangerous goods classification according to the Australian Dangerous Goods

substance/mixture Signal Word (s) None. No symbol Pictogram (s)

### 3. Composition/information on ingredients

Information on Pigmented aqueous polymer dispersion and specialty additives.

Composition

Ingredients Name CAS Proportion Water and minor N/A 60-100 % components Pigments 10-30 % Acrylic coplymer 10-30 %

#### 4. First-aid measures

Not usually an inhalation risk. Inhalation

Rinse mouth thoroughly with water and give water to drink. DO NOT induce Ingestion vomiting. Contact a doctor or call Poisons Information (Aust. 13 11 26). Wash with soap and water and rinse thoroughly. Remove contaminated clothing and wash before re-use. Seek medical advice if effects persist. Skin

Immediately irrigate with copious quantity of water for at least 15 minutes. Eye contact

Eyelids to be held open. In all cases of eye contamination it is a sensible

precaution to seek medical advice.

Advice to Doctor Treat symptomatically.

Protection for First Aiders

Avoid risking your own health and that of others through adherence to safe procedures in all treatment situations. Use of protective equipment such as

latex gloves and mouth protection is recommended.

#### 5. Fire-fighting measures

Use extinguishing media suited to the primary source of the fire. Suitable

extinguishing media

Hazards from Combustion

Products

Not flammable, however after evaporation of the aqueous component residual

material may decompose evolving toxic fumes and gases.

Print Date: 22/11/2012 CS: 1.6.13

# MSDS for #43232 - PERMASET Safety Data Sheet



Page: 2 of 4

Product Name PERMASET AQUA STANDARD & GLOW COLOURS

Not classified as hazardous

Specific hazards arising from the chemical

connection with Fire

Precautions in

There are no known unusual fire or explosion hazards.

Fire fighters to wear protective clothing and self-contained breathing apparatus if risk of exposure to vapour or products of combustion / decomposition.

#### 6. Accidental release measures

Spills & Disposal

Slippery when spilled. Wear protective equipment to prevent skin and eye contamination. Contain - prevent contamination of drains and waterways. Use absorbent (soil, sand, vermiculite). Collect and seal in properly labelled

drums for disposal. Wash area with excess water.

7. Handling and storage

Precautions for Safe Handling

Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe Store in a cool, dry place (above 0°C and below 40°C) out of direct sunlight storage, including and away from sources of heat.

any incompatabilities

## 8. Exposure controls/personal protection

Other Exposure A Time Weighted Average (TWA) or a Short Term Exposure Limit (STEL) has not been established by the National Occupational Health and Safety Commission for

this product or any of its major ingredients. Not generally required.

Respiratory Protection

Eye Protection Safety glasses

Hand Protection PVC, neoprene or nitrile rubber gloves.

**Body Protection** Overalls or similar protective apparel.

Hygiene Measures Wash hands and face before smoking, eating, drinking or using the toilet.

Other Information Time Weighted Average (TWA) is the average concentration of the work atmosphere over a normal 8-hour work day and a 40-hour work week. Nearly all

workers may be repeatedly exposed to this level, day after day, without

adverse effect.

STEL (Short Term Exposure Limit) is the average airborne concentration over a 15-minute period which should not be exceeded at any time during a normal 8-hour work day. Exposures at the STEL should not be longer than 15 minutes and should not be repeated more than four times per day. There should be at least 60 minutes between successive exposures at STEL.

Where a STEL is not stated, short term exposures should not exceed three times the TWA for more than a total of 30 minutes per eight-hour working day and the STEL should never exceed five times the TWA.

Reference: [NOHSC:3008(1995)], [NOHSC:1003(1995)]

# 9. Physical and chemical properties

Appearance Opaque liquid.

Colour Various.

Odour Mild, characteristic.

Boiling Point Approx. 100°C (water)

Solubility in Water Miscible.

Specific Gravity Approx. 1.01 - 1.14 (20°C)

pH Approx. 9 (25°C)
Flash Point Not applicable

Print Date: 22/11/2012 CS: 1.6.13

# MSDS for #43232 - PERMASET Safety Data Sheet



Page: 3 of

Infosafe No™ 2CM47 Issue Date : November 2012 ISSUED by COLORMAK

Product Name PERMASET AQUA STANDARD & GLOW COLOURS

Not classified as hazardous

Not flammable. Flammability

10. Stability and reactivity

**Chemical Stability** Stable.

Hazardous Will not occur.

Polymerization

11. Toxicological Information

This statement derived from properties of the individual components and Toxicology

products of similar composition. Information

Reproductive No data available for product. No effect anticipated.

Toxicity

No data available concerning mutagenic activity. The chemical composition does not suggest an expectation for such an effect. The product itself has not been Mutagenicity

tested. The statement is derived from the properties of the indidual

components.

Carcinogenicity Information available provides no indication of carcinogenic effect.

Serious eve damage/irritation

Product may cause mild eye irritation.

Repeated or prolonged skin contact may lead to irritation.

corrosion/irritation

Respiratory

Vapour or spray mist may irritate mucous membranes and respiratory tract.

Irritation

Skin Sensitisation There is no evidence of a skin sensitising potential.

### 12. Ecological information

Components other than pigments/fillers: Persistence and

Can be virtually eliminated from water by abiotic processes e.g. adsorbtion degradability

onto activated sludge.

Pigment/Filler components:

Persistant and do not biodegrade.

No evidence of mobility of these components.

Bioaccumulative Potential

Significant accumulation in organisms is not to be expected.

**Basis for Assessment** 

This statement derived from properties of the individual components and products of similar composition.
LC50 (Leuciscus idus, 96 hr): >100 mg/l

Acute Toxicity - Fish

The product has not been tested. The statement has been derived from data on

individual components. Inhibition of degradation activity in activated sludge is not to be anticipated during introduction of low concentrations.

Acute Toxicity -

Bacteria Other Information The product contains no organically bound halogen (AOX)

# 13. Disposal considerations

Waste Disposal Comply with local, state and federal regulations.

### 14. Transport information

Not classified as a Dangerous Good by the Australian Code for the Transport of Transport Information

Dangerous Goods by Road and Rail.

# 15. Regulatory information

Not Scheduled Poisons Schedule

AICS (Australia) All components listed.

## 16. Other Information

Contact Person/Point sales@colormaker.com.au

Print Date: 22/11/2012 CS: 1.6.13

# MSDS for #43232 - PERMASET Safety Data Sheet



Page: 4 of 4

Infosafe No™ 2CM47 Issue Date : November 2012 ISSUED by COLORMAK

Product Name PERMASET AQUA STANDARD & GLOW COLOURS

Not classified as hazardous

Supercedes previous issue of December 2009. Last Change

Revised to reflect changes to the Code of Practice for Preparation of Safety

Data Sheets for Hazardous Substances (December 2011) and Labelling of

Workplace Hazardous Chemicals (August 2011).

**Technical Contact** Point

Manager, Technical Services
Phone: +61 2 9939 7977 (Local: 02 9939 7977)

Fax: +61 2 9939 6685 (Local: 02 9939 6685) Mobile: + 61 404 854 217 (Local: 0404 854 217)

E:mail: technical@colormaker.com.au

...End Of MSDS...

© Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Acohs Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Acohs Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Acohs Pty Ltd.

CS: 1.6.13 Print Date: 22/11/2012