

MATERIAL SAFETY DATA SHEET

For compliance with OSHA's 29 CFR 19101200 and Bill No. 70 WHMIS Hazard Communications Standards

Section 1: Company and Product Identification

Product Name:
C06 Glaze
Clear and White

Chemical Name:
Alkaline Earth Alumina Borosilicate

Company Name and Address:
Aardvark Clay & Supplies, Inc.
1400 E. Pomona Street
Santa Ana, Ca 92705

Telephone Number: (714)541-4157
Facsimile Number: (714)541-2021

Section 2: Hazard Ingredients / Identity Information

Hazardous Components (Specific Chemical Identity; Common Name) May contain:

	OSHA/PEL	ACGIH/TLV	CAL-OSHA/PEL
Crystalline Silica (Quartz)	0.1mg/M3	0.1mg/M3	0.1mg/M3

Section 3: Physical Data

Solubility in Water	Insoluble
Appearance	Color Variable, Off-white
Odor	Earthy, Especially when wet
Specific Gravity	1.4-1.6
Melting Point	Above 10000 F

Section 4: Fire and Explosion Data

Non-flammable

Section 5: Health Hazard Data

Exposure Limits

Respirable Crystalline Quartz

OSHA PEL = 0.10mg/m3

ACGIH TLV = 0.10mg/m3

Route of Entry: Inhalation, Skin, Eyes

First Aid

Inhalation (Respiratory or breathing problem):

DO NOT SPRAY APPLY

Remove from dust and consult physician

Skin:

Flush with water

Eyes:

Flush with Water

WARNING: This product contains a chemical (crystalline silica) known to the State of California to cause cancer. (Prop 65 - Calif. Health & Safety Code Section 25249 Et Seq.)

Excessive inhalation of dust may result in respiratory disease, including silicosis, pneumoconiosis, and pulmonary fibrosis. The International Agency for Research on Cancer (IARC) has evaluated in Volume 42, Monographs on the Evaluation of the Carcinogenicity Risk of Chemicals to Humans, Silica and Some Silicates (1987), that there is sufficient evidence for the carcinogenicity of crystalline silica to experimental animals and limited evidence with respect to humans.

SECTION 6: REACTIVITY DATA

Stability

Stable

Incompatibility

None

Hazardous Decomposition

None

Hazardous Polymerization

Will not occur

Section 7: Spill, Leak, and Disposal Procedures

If uncontaminated, sweep or vacuum and reuse as product.

If contaminated, collect in suitable container. Avoid generating dust.

This clay is not a hazardous waste. Dispose of in an approved landfill facility in accordance with the applicable federal, state, and local regulations.

Section 8: Special Protection Information

Respiratory Protection:

Use NIOSH/MSHA approved dust mask if exposure exceeds TLV.

Ventilation:

Use local exhaust if spraying

Eye Protection:

Use NIOSH/OSHA approved safety glasses

Skin Protection:

Latex gloves may be used for those persons with sensitive skin.

Section 9: Transportation Requirements

This product is not considered hazardous by D.O.T. regulations.

Section 10: Additional Information

Wear NIOSH/MSHA approved dust mask when working in dust conditions.

THIS MATERIAL SAFETY DATA SHEET IS FURNISHED WITHOUT CHARGE TO RESPONSIBLE PERSONS WHO USE IT AT THEIR DISCRETION AND RISK. ALTHOUGH THE INFORMATION AND SUGGESTIONS CONTAINED HEREIN HAVE BEEN COMPILED FROM SOURCES BELIEVED TO BE RELIABLE, THERE IS NO WARRANTY OF ANY KIND EXPRESSED OR IMPLIED, AS TO THE COMPLETENESS OR ACCURACY THEREOF.

MSDS Preparation Date: November 15, 1997

This data sheet is subject to change without notice.

MATERIAL SAFETY DATA SHEET

For compliance with OSHA's 29 CFR 19101200 and Bill No. 70 WHMIS Hazard Communications Standards

Section 1: Company and Product Identification

Product Name: AS122 Clear Glaze
Chemical Name: Alkaline Earth Alumina Borosilicate

Company Name and Address: Aardvark Clay & Supplies, Inc.
1400 E. Pomona Street
Santa Ana, Ca 92705
Telephone Number: (714)541-4157
Facsimile Number: (714)541-2021

Section 2: Hazard Ingredients / Identity Information

Hazardous Components (Specific Chemical Identity; Common Name) May contain:

	OSHA/PEL	ACGIH/TLV	CAL-OSHA/PEL
Crystalline Silica (Quartz)	0.1mg/M3	0.1mg/M3	0.1mg/M3

Section 3: Physical Data

Solubility in Water: Insoluble
Appearance: Color Variable, Off-white
Odor: Earthy, Especially when wet
Specific Gravity: 1.4-1.6
Melting Point: Above 10000 F

Section 4: Fire and Explosion Data

Non-flammable

Section 5: Health Hazard Data

Exposure Limits
Respirable Crystalline Quartz
OSHA PEL = 0.10mg/m3
ACGIH TLV = 0.10mg/m3

Route of Entry: Inhalation, Skin, Eyes

First Aid

Inhalation (Respiratory or breathing problem):
DO NOT SPRAY APPLY
Remove from dust and consult physician
Skin: Flush with water
Eyes: Flush with Water

WARNING: This product contains a chemical (crystalline silica) known to the State of California to cause cancer. (Prop 65 - Calif. Health & Safety Code Section 25249 Et Seq.)

Excessive inhalation of dust may result in respiratory disease, including silicosis, pneumoconiosis, and pulmonary fibrosis. The International Agency for Research on Cancer (IARC) has evaluated in Volume 42, Monographs on the Evaluation of the Carcinogenicity Risk of Chemicals to Humans, Silica and Some Silicates (1987), that there is sufficient evidence for the carcinogenicity of crystalline silica to experimental animals and limited evidence with respect to humans.

SECTION 6: REACTIVITY DATA

Stability: Stable
Incompatibility: None
Hazardous Decomposition: None
Hazardous Polymerization: Will not occur

Section 7: Spill, Leak, and Disposal Procedures

If uncontaminated, sweep or vacuum and reuse as product.

If contaminated, collect in suitable container. Avoid generating dust.

This clay is not a hazardous waste. Dispose of in an approved landfill facility in accordance with the applicable federal, state, and local regulations.

Section 8: Special Protection Information

Respiratory Protection:

Use NIOSH/MSHA approved dust mask if exposure exceeds TLV.

Ventilation:

Use local exhaust if spraying

Eye Protection:

Use NIOSH/OSHA approved safety glasses

Skin Protection:

Latex gloves may be used for those persons with sensitive skin.

Section 9: Transportation Requirements

This product is not considered hazardous by D.O.T. regulations.

Section 10: Additional Information

Wear NIOSH/MSHA approved dust mask when working in dust conditions.

THIS MATERIAL SAFETY DATA SHEET IS FURNISHED WITHOUT CHARGE TO RESPONSIBLE PERSONS WHO USE IT AT THEIR DISCRETION AND RISK. ALTHOUGH THE INFORMATION AND SUGGESTIONS CONTAINED HEREIN HAVE BEEN COMPILED FROM SOURCES BELIEVED TO BE RELIABLE, THERE IS NO WARRANTY OF ANY KIND EXPRESSED OR IMPLIED, AS TO THE COMPLETENESS OR ACCURACY THEREOF.

MSDS Preparation Date: November 15, 1997

This data sheet is subject to change without notice.