

MATERIAL SAFETY DATA SHEET

SECTION I - MANUFACTURER'S INFORMATION

MANUFACTURER'S NAME	WOODSTREAM CORPORATION AN EKCO GROUP COMPANY 69 NORTH LOCUST STREET LITITZ, PA 17543
EMERGENCY TELEPHONE NUMBERS	800-800-1819 (WOODSTREAM) 800-424-9300 (24 HOUR DOMESTIC) 703-527-3887 (24 HOUR INTERNATIONAL)
TELEPHONE NUMBER FOR INFORMATION	717-626-2125
DATE THIS MSDS PREPARED	November 16, 1998

SECTION II - COMPONENTS / IDENTITY INFORMATION

VICTOR POISON-FREE ANT KILLER

INGREDIENT	PERCENT	INGREDIENTS	PERCENT
Mint Oil	4%	Inerts	95%
Sodium Lauryl Sulfate	1%		

SECTION III - PHYSICAL AND CHEMICAL CHARACTERISTICS

BOILING POINT	100.5 C
---------------	---------

VAPOR PRESSURE (psi @ 75 F)	56 psi
VAPOR DENSITY (Lighter or Heavier than Air)	Lighter than air
SPECIFIC GRAVITY (H ₂ O = 1)	0.89 g/mL
EVAPORATION RATE (Compared to Xylene)	5.0 times slower than Xylene
pH	4.70
PERCENT VOLATILES	1.7%
ODOR	MINTY

MATERIAL SAFETY DATA SHEET

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT	> 212 F
FLAMMABLE LIMITS	NOT FLAMMABLE
EXTINGUISHING MEDIA	CO ₂ , FOAM, DRY CHEMICAL
SPECIAL FIRE-FIGHTING PROCEDURES	N/A
UNUSUAL FIRE AND EXPLOSION HAZARDS	N/A

SECTION V - REACTIVITY DATA

STABILITY	STABLE
INCOMPATIBILITY (MATERIALS TO AVOID)	STRONG ACIDS, STRONG OXIDIZERS
HAZARDOUS DECOMPOSITION OR BYPRODUCTS	NONE FOUND
HAZARDOUS POLYMERIZATION	WILL NOT OCCUR

SECTION VI - HEALTH HAZARD DATA

PRIMARY ROUTES OF ENTRY:	PRODUCT CAN ENTER VIA INHALATION, INGESTION, OR SKIN CONTACT.
--------------------------	---

EFFECTS OF ACUTE OVEREXPOSURE	<p><u>EYES</u> - MAY CAUSE IRRITATION</p> <p><u>SKIN</u> - PROLONGED CONTACT MAY CAUSE IRRITATION</p> <p><u>BREATHING</u> - VAPORS MAY IRRITATE</p> <p><u>SWALLOWING</u> - MAY CAUSE STOMACH IRRITATION</p>
-------------------------------	---

MATERIAL SAFETY DATA SHEET

SECTION VI - HEALTH HAZARD DATA

HEALTH HAZARDS	LIQUID MAY IRRITATE SKIN AND EYES
PERMISSIBLE EXPOSURE LEVEL	NONE FOUND
EFFECTS OF CHRONIC OVEREXPOSURE	NONE FOUND
EMERGENCY AND FIRST AID PROCEDURES	<p><u>IF ON SKIN</u> - WASH WITH SOAP AND WATER</p> <p><u>IF IN EYES</u> - FLUSH WITH WATER, LIFTING UPPER AND LOWER LIDS OCCASIONALLY.</p> <p><u>IF SWALLOWED</u> - RINSE MOUTH WITH WATER; SEEK MEDICAL ADVICE</p> <p><u>IF INHALED</u> - REMOVE TO FRESH AIR</p>

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN EVENT MATERIAL IS RELEASED OR SPILLED	<p><u>SMALL SPILL</u> - WASH AREA WITH SOAPY WATER</p> <p><u>LARGE SPILL</u> - WASH AREA WITH SOAPY WATER</p>
WASTE DISPOSAL METHOD	FOLLOW STATE, LOCAL AND FEDERAL REGULATIONS
OTHER PRECAUTIONS	SPILLED MATERIAL IS SLIPPERY. WASH THOROUGHLY WITH SOAP AND WATER
UN HAZARD CODE	8000 (for International shipping by air) 1950 (for International shipping by sea)
HAZARD CLASS or DIVISION	CONSUMER COMMODITY/ ORM-D

SECTION VIII - CONTROL MEASURES

RESPIRATORY PROTECTION (SPECIFY TYPE)	ODOR MASK IF VAPORS ARE FOUND TO BE TOO STRONG
VENTILATION	MECHANICAL
PROTECTIVE GLOVES	OIL/SOLVENT RESISTANT
EYE PROTECTION	CHEMICAL SPLASH GOGGLES
OTHER PROTECTIVE CLOTHING OR EQUIPMENT	N/A

[Close Window](#)