Genlabs

29 CFR 1910.1200

Identity # 01111	Name	STRIKE BAC	BOWL CL	EANER		
Section 1 Manufacturer's Name - Genlab Address - 5568 Schaefer Ave. City - Chino State -	Emergency I		ntrec) 1-(8 (909)	300)-42 591-8	451	
Date Prepared- 4/6/2005						
Section 2 - Hazardous Ingredients	/Identity Informa	ation				
Hazardous Components	CAS#	OSHA	PEL ACG	IH TLV		Weight% (Optional)
Hydrocloric Acid	7647010	5PPM	5PPM			
Phosphoric Acid	7664382	3MG/M3	3MG/M3			
Note:						
VOC Content- None g/L						
Section 3 - Physical/Chemical Char	racteristics					
Boiling Point- >212 F	iling Point- >212 F Specific Gravity- 1.052					
Vapor Pressure - Not Tested Vapor Density - Not Tested						
Solubility In Water- 100% Appearance and Odor- BROWN	I COLOR LIQU				resteu	
Section 4 - Fire and Explosion Haza	ard Data					
Flash Point- None	Elemmobile Limite Net Tested					
-EL- None		UEL- Not Tested				
pH- 0.5 - 2.0		DOT# Q	t: ORM-D;(Gal. & U	p: NA1	760
NFPA Hazard Rating - H F 0- Least, 4- Extreme) 2 0	R S 0 0	HMIS Hazar	d Rating -	H 2	F 0	R 0
Extinguishing Media- CO2, DRY F	OAM					
Special Fire Fighting Procedures	IONE					
Unusual Fire and Explosion Hazar	ds- NONE					
Section 5 - Reactivity Data						
Stability - Stable Conditions to Avoid - None						
Incompatible Materials to Avoid-	Strong Oxidi	izers, Ammoni	a, Strong All	kali Mate	erials	
Hazardous Decomposition or Bypr Hazardous Polymerization- NON), CO2				

Conditions to Avoid- None

Section 6 - Health Hazard Data

Routes of Entry Inhalation? - Possible Skin? - Possible Ingestion? - Possible Health Hazards - Same as Signs and Symptoms of Exposures Note - All Chemicals in this Product are Found on the TSCA Inventory List. OSHA Carcinogenicity? - None; NTP? - None; IARC Monographs? - None.

2

01111

Signs and symptons of over exposure:

Eyes - Burning Sensation severe

Skin- Severe Irritation

Ingestion-Toxic, Do Not Induce Vomitting, Call Physician

Inhalation- Burning Irritation

Medical Conditions Generally Aggravated by Exposure - Same as Signs and Symptoms of Over Exposure

Emergency and First Aid Procedures

Eyes - Flush With Water For 15 Minutes. If Irritation Persists, Call Physician.

Skin- Wash Off With Soap & Water, Clean Underneath Fingernails, If Irritation Persists, Call Physician

Ingestion- Drink Large Amounts of Water, Call Physician

Inhalation- Get Person to Fresh Air If Unconscious, Call Physician

Section 7 - Precautions For Safe Handling and Use. Steps to be taken in case material is released or spilled - Soak up with inert, absorbent material. Scoop up and place in a proper waste disposal container.

Waste Disposal Method - Dispose of in accordance with state and local regulations. Precautions To Be Taken In Handling and Storing - Store in a cool, dry place, out of direct sunlight. Do not freeze, less than or equal to 32 F, or heat above 110 F.

Other Precautions - Keep out of reach of children. Follow directions on the container for proper use of this product.

Section 8 - Control Measures

Respiratory Protection - Open all doors and windows. "If" there is an exposure, and it is above the TLV or PEL, a NIOSH approved respirator equipped for the exposure or suitable respiratory protection per 29 CRF 1910.134, is required.

Ventilation	Local Exhaust - If Available	Special - None
	Mechanical - If Available	Other - None

Protective Gloves- Plastic or Rubber, Chemical Resistant

Eye Protection- Glasses, Goggles

Other Protective Clothing or Equipment- Chemical Resistant Clothing

Work Hygenic Practices - Use common sense and care around chemicals. Never mix chemicals. Consult your supervisor for other practices. All practices depend on your specific business. Directions for use are normally found on label which will dictate engineering and control measures.

Other Special Requirements None

Note: Genlabs believes the data set forth are accurate, Genlabs makes no warranty with respects thereto and disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification. Also, the data set forth is for the concentrated finished product. All lab samples are for experimental purposes only and used at the customers discretion

F